

MONTIGO®

DELRAY LINEAR

DELRAY / THE ART OF FIREPLACES

DRL3613

DRL3613-2

DRL4813

DRL4813-2



DELRAY / SINGLE SIDED

DELRAY / LINEAR / DRL3613NI / AMBER FIRESTONES / REFLECTIVE BLACK GLASS



DEL

DELRAY / LINEAR / DRL3613NI / ICE FIREGLASS



Framing Depth

Both the DelRay 36" and 48" fit easily into a 14¼" framing depth

THE PERFECT COMPANION
TO TODAY'S DESIGN
TRENDS OF MINIMALISM
& CLEAN LINES **DELRAY**


Conversion Kit

Convert to propane in minutes with our simple
drop in burner system

RAY



DELRAY LINEAR DRL4813NI-2 DRIFTWOOD SPECKLED STONES



Features

Meets requirements for efficiency rebates

14¼ framing depth

Mobile home compatible

Convertible to co-linear venting

DELRAY / FROM MINIMALIST TO INDULGENCE

DELRAY
LINEAR

ELEGANTLY SIMPLE

DRL3613
DRL4813

SINGLE SIDED
DIRECT VENT

QUICK DIMENSIONS

	DRL3613		DRL4813	
	UNIT	FRAM.	UNIT	FRAM.
F.WIDTH	45¼	43¾	57¼	55¾
B.WIDTH	41¾	43¾	53⅞	55¾
HEIGHT	26¾	33⅞	26¾	33⅞
DEPTH	12¾	14¼	12¾	14¼
VIEWING	36½ × 14⅞		48½ × 14⅞	

**DELRAY FULL LOAD
LINEAR**

Standard

Concealed burner with ice fireglass

Multi-function remote control

Remote controlled fans

Low-Vis safety screen

Black reflective glass

Halogen downlighting

Battery backup

Cement board

Options

Propane conversion kit

Adjustable trim kits

Speckled stones, driftwood, glass media

Heat management

**DELRAY BASIC
LINEAR**

Standard

Concealed burner with ice fireglass

Cement board

Options

Remote control

Fans

Low-Vis safety screen

Black reflective glass

Propane conversion kit

Adjustable trim kits

Battery backup

Speckled stones, driftwood, glass media

Heat management



BTU LISTING

DRL3613NI / 16,000
DRL4813NI / 21,000
DRL3613LI / 16,000
DRL4813LI / 19,000

DRL3613NI-2 / 16,000
DRL4813NI-2 / 21,000
DRL3613LI-2 / 16,000
DRL4813LI-2 / 19,000

EFFICIENCY

DRL3613NI / 71% P.4. 1-15
DRL4813NI / 63% P.4. 1-15
DRL3613LI / 71% P.4. 1-15
DRL4813LI / 60% P.4. 1-15


DRL3613NI-2 / 71% P.4. 1-15
DRL4813NI-2 / 63% P.4. 1-15
DRL3613LI-2 / 71% P.4. 1-15
DRL4813LI-2 / 60% P.4. 1-15





MONTIGO / DELRAY / LINEAR / DRL3613NI-2 / DRIFTWOOD SPECKLED STONES

DELRAY DIMENSIONS



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
DRL36	36½	14⅛	38¾	45¼	24¼	41¾	12¾	12⅝	26¾	16⅝	3⅝	6⅞	5	4	7
DRL48	48½	14⅛	50⅞	57¼	24½	53⅞	12¾	12⅝	26¾	16⅝	3⅝	6⅞	5	4	7



MONTIGO / DELRAY / LINEAR / DRL3613NI-2 / ICE FIREGLASS

OPTIONS & FEATURES



REMOTE!
RX200**



WALL REMOTE
REC1493



BLACK GLASS!
RBGDRL**



DOWNLIGHTING!
DRLT**-*



TRIM KIT
DRLT**-*

*Standard for full load units

DELRAY FINISHING

TRADITIONAL FINISHING • COOL WALL RELEASE / COOL WALL ADVANTAGE

The finishing options for the DelRay Linear are as diverse as the unit itself. Create a surface safe for combustibles with the Cool Wall Release or Cool Wall Advantage kit, or keep it simple with traditional finishing. It's all up to you.

Traditional Finishing

**DRL3613 NON-VENTED
CHASE SURFACE
TEMPERATURES**

Requires included cement board.

130°F
16" ABOVE
OPENING

140°F
12" ABOVE
OPENING

160°F
8" ABOVE
OPENING

180°F
4" ABOVE
OPENING

Standard
Drywall

Included
Cement Board



Trim Kits

For uneven and ledgerstone finishing, we developed a slim finishing kit that fits directly to the fireplace frame to conceal the finished edge.

These kits are adjustable and cover finishing depths up to 2"



COOL WALL ADVANTAGE / TV KIT



CHASE VENTING VALANCE

Prevent heat from being trapped within the chase by leaving the top open to allow heat to ventilate back into the room.

Cool Wall Release

DRL3613 VENTED CHASE SURFACE TEMPERATURES

DRL3613
Minimum 70" inch opening
DRL4813
Minimum 100" inch opening

Temperatures shown are based on a DRL3613NI-2 with vented chase

Minimum 6' chase
(When venting ports open or using Cool Wall Advantage kit)

Included cement board and stud heat deflector not required when using the Cool Wall Release or Cool Wall Advantage System.

95°F
16" ABOVE OPENING

100°F
12" ABOVE OPENING

100°F
8" ABOVE OPENING

105°F
4" ABOVE OPENING

Combustible Finish



VENTING PORTS

Opening the venting ports diverts heat through the chase, resulting in lower wall surface temperatures


COOL WALL ADVANTAGE / SIDE DISCHARGE KIT

Cool Wall Advantage


Cool Wall Advantage kits convection pulls the heat through the attached vents and distributes it where it belongs - in the room.

HEAT DIVERSION INTO AN ADJACENT ROOM

Leverage the heat from your fireplace to warm a room that shares a wall with the unit.



WALL BEHIND FIREPLACE WITH SIDE DISCHARGE KIT



WALL BEHIND FIREPLACE WITH TV KIT





DELRAY / LINEAR / DRL3613NI-2 / ICE FIREGLASS / REFLECTIVE BLACK GLASS

DELRAY / LINEAR / DRL6013NI-2 / DRIFTWOOD AND SPECKLED STONES / REFLECTIVE BLACK GLASS



DELRAY 60
AVAILABLE 2023



DELRAY | LINEAR | DRL4813NI-2 | ICE FIREGLASS

DELRAY | LINEAR | DRL3613NI-2 | DRIFTWOOD AND SPECKLED STONES





SPECKLED STONES
RR***SS



COPPER
HW1143



AMBER
HW1261



ICE
HW1157



GLACIER
HW1219B




PLATINUM
HW1144



ALABASTER
HW1260

OBSIDIAN
HW1113



ONYX
HW1259



MEDIA

FROST
HW1112



QUARTZ
HW1106



EBONY
HW1091



DRIFTWOOD
LGS***



Unit Specifications

ICON LEGEND


AVAILABLE	+	NOT AVAILABLE	-
DEDICATED	◊	STANDARD	◦

	BTU NATURAL GAS	BTU LIQUID PROPANE	VENTING	CLEARANCE TOP	CLEARANCE SIDES	CLEARANCE BACK	CLEARANCE FLOOR	FRONT VIEWING AREA	FRONT GLASS TYPE	STANDARD MEDIA	LOW-VIS SAFETY SCREEN	POWERVENT	REMOTE CONTROL	FANS	UPLIGHTING	DOWNLIGHTING
DRL3613*I-2	16,000	16,000	4"/7"	21	1	2	0	36½ X 14⅜	TEMPERED	HW1157	◦	+	◦	◦	-	◦
DRL3613*I	16,000	16,000	4"/7"	21	1	2	0	36½ X 14⅜	TEMPERED	HW1157	+	+	+	-	-	-
DRL4813*I-2	21,000	19,000	4"/7"	21	1	2	0	48½ X 14⅜	TEMPERED	HW1157	◦	+	◦	◦	-	◦
DRL4813*I	21,000	19,000	4"/7"	21	1	2	0	48½ X 14⅜	TEMPERED	HW1157	+	+	+	-	-	-

DELRAY LINEAR FRAMING

	A	B	C	D	E	F
DRL3613	33⅜	14¼	43⅜	47½	67⅞	½
DRL4813	33⅜	14¼	55⅜	56⅜	79¼	½

Header must be on edge to meet clearance to venting



1976: The Days Before Gas Fireplaces

In 1976, Montigo president and founder, Dan Binzer, started installing zero-clearance wood burning fireplaces for local builders in Vancouver, BC. Over the years, demand grew for a gas alternative, and Dan engineered and manufactured the first ever sandpan logset. The logset was installed in a zero-clearance wood burning fireplaces shell, resulting in one of the first zero-clearance gas fireplaces on the market.

1985: Gas Fireplace Manufacturing Begins

Demand for gas grew rapidly, especially among multi-unit developments so Dan Binzer started a company called Canadian Heating that would offer full service design, engineering and manufacturing for gas fireplaces. Under the Montigo brand, Canadian Heating began manufacturing and selling a wide selection of zero-clearance gas fireplaces throughout Canada and in 1985 development began for the latest and greatest in gas fireplace technology – direct venting.

1994: Manufacturing Excellence is Achieved

Development and advancement of the gas fireplace continued over the years with continual developments to improve the efficiency of the fireplaces and perfected manufacturing processes to deliver an optimum fireplace each and every time – even for completely custom units.

Present: Leading the Way with Modern Fireplace Design

As one of the first to bring a linear designed fireplace to market, Montigo now offers the largest selection of linear fireplaces demanded by designers, architects and homeowners wanting to create a modern and contemporary space and homeowners wanting to create a modern and contemporary space.

WARNING

Some materials used in the manufacturing process of this product can expose you to Benzene which is known in the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov

for more inspiration go to
www.montigo.com

MONTIGO[®]
the art of **fireplaces**



Our Guarantee

Montigo[®] stands behind the craftsmanship and durability of our products by providing a 15 year warranty on the burner and firebox in all our residential fireplaces.



Printed in Canada

XB2216